



ADDITIONAL APPLIANCES – CODE SECTION

f02015 MRC / Code Section G2412.4 (401.4) Additional Appliances.

Where an additional appliance is to be served, the existing piping shall be checked to determine if it has adequate capacity for all appliances served. If inadequate, the existing system shall be enlarged as required or separate piping of adequate capacity shall be provided.

The following information is required for expediting a "Final Approval" Provide the following details/criteria prior to or at time of inspection.

Address of Property: _____

Property Owner Name: _____

1. Mechanical Contractor License number: _____

NOTE: The Mechanical Contractor License shall have Classification 1 or IOd,

2. The total BTU/h Rating of all appliances being serviced by the gas meter:

1. Furnace: _____ BTU/h

2. Furnace: _____ BTU/h Water

1. Heater: _____ BTU/h

2. Heater: _____ BTU/h Water

Stove/Range: _____ BTU/h

Clothes Dryer: _____ BTU/h

Fireplace: _____ BTU/h

Barbeque Grill: _____ BTU/h

Whole House Generator: _____ BTU/h



**YPSILANTI
TOWNSHIP**
— BUILDING DEPARTMENT —

Swimming Pool Heater: _____ BTU/h

Other: _____ BTU/h

TOTAL: _____ BTU/h

3. Contact DTE for determination of Meter Size and Service Line from Road to Meter, and if existing system is adequate for intended maximum usage.

Contact GRAT Team @ 1-800. 338-0178 Press prompt 2 for Gas or use their website at:

NEWCUSTSE Account newcustse@dteenerrep.com



Signature of Contractor

Date